

TOKIO 4 PLUS



- → two disc elements
- → high-quality Nordic spruce
- → 19 mm wall logs
- → including insulation material for roof and walls









LOG CABIN TOKIO 4 PLUS 402 x 402 cm

Data sheet / Construction description

Color treatment	untreated
Corner construction	Trend, obtuse corner design
Wind bracing	Corner post with screw connection
Mounting material	Included
Iron parts	galvanized
Width	402 cm
Length	402 cm
Total width	402 cm
Total length	502 cm
Height sidewall	248 cm
Roof ridge height	270 cm
Number of rooms	1
Storage attic	no
Base surface	16,16 m ²
Building volume (without canopy)	43,63 m³
Wall surface outside	40,94 m²
Floor	19 mm floorboards
Ground supports	60 x 60 mm, impregnated
Roof construction	19 mm roof boards
Roof shape	Flat roof




Roof pitch	2°
Snow load	1,5 kN/m²
Wind load	$0.65 \mathrm{kN/m^2}$
Roof overhang (front)	100 cm
Roof overhang (behind)	5 cm
Roof surface	19,94 m²
Roofing	Onduline KSK-M membranes
Doors	1x Double door, full glased (112,2 x 181,5 cm)
Windows	1x Single window, Tilt-and-turn function (95 x 181,5 cm) $2x$ Window element, Fixed (34 x 149 cm)
Article code	604357
Barcode	4018211604357
Packaging dimensions	packet 1: 120 cm x 510 cm x 105 cm 1.960,0 kg packet 2: 125 cm x 120 cm x 120 cm 65,0 kg
Guarantee	5 year warranty on wood, construction and stability when properly assembled and cared for according to our guarantee undertaking
not included	Cement, anchoring basic storage with underground (foundation)


TOKIO 4 PLUS 402 x 402 cm



Drawing section



Ground plan




TOKIO 4 PLUS 402 x 402 cm


floor plan, cross section and elevations M 1:100 $\,$



Front view



View from the right




TOKIO 4 PLUS 402 x 402 cm


floor plan, cross section and elevations M 1:100 $\,$



View from behind



View from the left



TOKIO 4 PLUS 402 x 402 cm

floor plan, cross section and elevations M 1:100 $\,$