



Techn. Data: Karmen

Log length (W x D): 325 x 505 cm


Wall size(outside): 305 x 485 cm · Log thickness: 40 mm




Note: All dimensions are approximate !

Karmen 40 mm / 325 x 505 cm

Ground plan




Foundation beams




Karmen 40 mm / 325 x 505 cm


A, C




B-B



B




A-A




Karmen 40 mm / 325 x 505 cm








1



2



Specification - Karmen 40 mm / 325 x 505 cm

Nr	Description	Profile mm	Length mm	Quantity
1	Foundation 	45x70	3040	2
2			4750	7
3			735	2
4			1290	1
5			5050	1
6			5050	18
7			3250	36
8			735	32
9			1290	16
10			1240	36
11			3250	3
12			5450	2(1+1)
13			5450	2
14			5450	1
15	Roofing felt		--	--
16	Roof board		--	--
	Vers. 1 > or in Vers. 2 >		1920	100+2
17	Floor board		2966	44+1
18	Facia board 	18x115	1960	4
19	Eave edging	18x44	1960	4
20	Roof edge reinforcement	18x90	5450	2
21	Roof edge reinforcement	25x36	2725	4
22	Diamond 			2
23	Screws 4,0 x 40 ; 4,0 x 50			80/620
24	Screws 5,0 x 70 ; 6,0 x 140			30/60
25	Nails 1,4 x 35			50
26	Storm braces 		2010	4
27	Baseboard 		ca. 21,4 m	
28	Bolt M 8 x 70, nut, washer			12
29	Door 840 x 1835 mm 40 mm - L 			1
30	Double door 1425 x1835 mm 40 mm - R - Standard + 			1
31	Window 765 x 990 mm 40 mm - Standard + 			2
32	Hitblock		300-400	