

# FLORI SPOT

SLI002017WW

Garden luminaire FLORI SPOT, with a power of 5 W. It is made of high-quality components, supported by a 5-year warranty. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. It shines with a warm light (3000K). Narrow beam angle 25° gives directional light so that selected surfaces can be better exposed. Designed for surface mounting.



Power	<b>5 W</b>	Voltage	<b>24 V</b>
Luminous flux*	<b>230 lm (90°)</b>	Colour temperature	<b>3000 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>25 °</b>
Degree of protection (IP)	<b>IP65</b>		


## Technical data

Code	SLI002017WW
Power	5 W
Nominal current	210 mA
Voltage	24 V
Energy efficiency class	G
Energy consumption	6 kWh/1000h
Frequency	DC Hz
Protection class	III
Power supply included	+
Power factor	1
Useful luminous flux*	230 lm (90°)
Luminous flux**	230 lm (360°)
Lamp efficacy	46 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	25 °
RA	70
Light source included	+
Producer of LED diodes	CREE
Uniformity of color SDCM max	6
Dimmable	Yes
Working temperature range	-20/+40 °
Lifespan	50000 h
Housing material	Aluminum
Degree of protection (IP)	IP65
Colour	Gray
Dimension (AxBxC)	64x100 mm
For use	Inside/Outside
Assembly method	On the ceiling
Application	INT/EXT
Made in	PRC



## Related documents



 Declaration of Conformity



 Photometric file

